Missouri Botanical Garden
Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Junci Ecklonianae

E. Meyer

Linnaea VII. 129

1. J. punctorius Thunb

2 J. Capsonius L

3 J. capensis Thunb & var

4 J. maritimus

Dst
Zeyh 878
9
90
90 r

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
copyright reserved
0 1 2 3 4 5 6 7 8 9 10 cm

Enno Sander,

Ecke der Zweiten und Walnut Straße,

unter Barnum's Hotel,

Saint Louis, Mo.

GEORGE ENGELMANN PAPERS
MISSOURI BOTANICAL GARDEN

4866

Natural History of New York

A Flora of the State of New York by Dr J. Torrey

vol II Albany 1843

pag 325 Juncus

1. J. effusus L. Sandsons &c very common in low moist grounds

2. J. filiformis L Borders of Lakes in the northern & eastern parts of the state

pag 326

3. J. Balticus Willd Gravelly shores of the St Lawrence and of Lake Ontario

4 J. nodosus Lin? Stamens 3 Muhl Gram p. 206 Torr Flor 1. 363

Beck bot p. 371

var 1. vulgaris stamens 6 J. nodosus Host J. Koshevnikovii Kutt.

J. polycephalus β & γ. Hook Fl Bor Am. 2. 190. Sand, borders of Lakes & Rivers

var 2. multiflorus stamens 3 (capsule rather shorter than perianth) J. echinatus Roth. " " "

var 3. megacephalus stamens 6 on the Banks of Lake Ontario

p. 327.

5. J. polycephalus Michx Pursh. Torr. Fl. 1. 364. Ell. 1. 409. Beck 273. Hook Fl. Bor. 2. 190 (in part) J. echinatus Muhl. gram. 207 — stam 3. caps. abruptly acuminate, seeds tailed at each end.

var 1. compressifolius (J. canadensis Gay? J. macrostemon Gay? J. Canadensis Gay?) heads 8–15 flowered (flowers compact.) capsule brown, exsert elongated — borders of ponds frequent.

var 2. paradoxus (J. paradoxus Hoy? J. fraternus Ktt) inflorescence compound, loose, heads many flowered, capsule = perianth. — deep swamps

var? 3. depauperatus inflor. loose spreading, heads 4–8 fl. caps. exsert — seed scarcely tailed — Buffalo creek Dr Gray [J. Gray Buffalo creek plant, & Ms Gray, is J. Canadensis var microcephala Meyer]

6. J. acuminatus mx Pursh Ell. Torr Fl. 1. 365. Beck. 372.

J. sylvaticus Muhl gram 206 J. acutiflorus β Hook Fl B. Am. 2. 190

Stam 3. heads 3–6 flowered seeds tailed caps. exsert

Sandy borders of Lakes and in bogs frequent

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN HERBARIUM

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

p. 328.

7. Junc. pelocarpus Meyer J. acutiflorus ♂ Hook Rob Am. 2. 190
stem 6, ins sepals obtuse, capsules ovate, a little exsert
New York, Jacquemont — not seen by Torr. Description
Drawn from a Vermont specimen rec'd from Tuckerman, and from
one of Hooker's own.

8. J. Canadi Tuckerm MSS. Borders of Ponds in sandy soil, Long
Island — also New Jersey Massachusetts & Blue Mtns.
Called here annual — leaflets of perianth lanceolate
acute, shorter than the oblong acuminate rostrate capsule.
J. viviparus Conrad in Journ Acn Phil 5. p. . . . .

p. 329.

9. J. bufonius ♂ low grounds, common.
10. J. tenuis Willd low grounds, roadsides, common.
11. J. Greenii Tuckerm & Oakes in Sill Journ. 45 p. 37.
Sandy borders of saltmarshes on the coast of Long Island?
Distinguished among other things by the nearly terete leaves

p. 330
12. J. Gerardi Loi Comm on Long Island & State Island.
13. J. marginatus Roth J. bufonius Ell. moist ground, shady swamps.
more frequent in the southern part of the State

p. 331
14. J. stygius ♂ Sphagnous swamp on Perch Lake, Jefferson Co NY.
15. J. trifidus ♂ Summit of Mount Marcy in Essex County. (Boy)

Juncus nodosus vulgaris is J. Rostkovii
J. — multiflorus J. fraternus ?
J — megacephalus J. megacephalus
J. polycephalus ramosissimus = J. paradoxus form compacta bracteis
" — paradoxus " " " " form effusa
" " depauperatus = J. Canadensis form effusa
J. acuminatus = J. Canadensis' form contracta
J. pelocarpus most probably J. articulatus as that is the only one which Tuckerman found. the Hookerian species must be J. alpinus
all others are correct

Feb 19 1866.

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9985

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Linnæus, Linné, Codex Linnæan p. 335

Culmis nudis

2529 J. acutus α & β [maritimus]

2530 J. conglomeratus

2531 J. effusus α [J. arcticus] & β.

2532 J. inflexus

2533 J. filiformis

2534 J. trifidus

2535 J. squarrosus

Culmis foliosis

2536 J. nodosus Americæ sept.

2537 J. articulatus

2538 J. bulbosus

2539 J. bufonius

2540 J. stygius stigmata tria reflexa!

2541 J. Jacquini

2542 J. biglumis

2543 J. triglumis

2544 J. pilosus } ad Lagurum

2545 J. niveus

2546 J. campestris

2547 J. spicatus

Gronovius, Flora Virginica ed II. 1762

p. 53. J. foliis linearibus canaliculatis, capsulis obtusis [J. tenuis?]

p. 54 J. foliis planis, spica sessili pedunculatoque [Lagurus

" J. foliis articulosis, floribus umbellatis capsulis triangulis Clayt. n. 581

" J. culmo nudo antice paniculo laterali

† J. culmo nudo striato paniculo laterali

9986

Missouri Botanical Garden
George Engelmann Papers

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri Botanical Garden

Juncus ex Sect Lyoria N. Gleam. II. 1855
pag 295—

I. Culmi nudi vaginati aphylli, anthela floribus laterali, testa conformis
hexandri

6 J. Balticus Willd
7. J. compressus Hds K.
8. J. patens Mey.
9. J. filiformis Lin
10 J. arcticus Willd Ditcha
11 J. Setaceus Roth. Carp!
15 J. Roemerianus Scheele [= 27]

triandri

18. J. communis Meyer (effusus × conglomeratus)
23 J. Pylaei Laharpe

II. Culmi nudi vaginati foliosi, anthela terminalis, testa relaxata
hexandri

27 J. maritimus Lam
34 J. Drummondii E Mey.

III. Culmi foliati, folia teretia enodosa, anthela terminalis
flores segregati hexandri, testa conformis

(35 J. multiflorus Desf. Afr. Boreal — sola species hujus sectionis)

IV Culmi foliati, folia fere teretia nodosa, anthela terminalis
flores aggregati testa conformis
hexandri

42 J. campo carpus Ehrh
44 J. acutiflorus Ehrh.
60 J. nodosus Lin.
69 J. xiphioides Mey.
70 J Rostkovii Mey.
75 J. pelocarpus Mey.
76 J. Conradi Jacken.
77. J. Muhlenbergii Sprengl [= 42 = 75 ?] an = 76 fide Engl.
189 J. militaris Bigel
188 J. affinis a Br.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9987

Missouri Botanical Garden
George Engelmann Papers

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri Botanical Garden

IV. Culmi foliati, folia fere teretia nodosa antice
vernalia, flores aggregati. testa conformis

triandri

79. I. Canadensis Gay
82 I. subtilis Mey. (subverticillatus Muhl. Torr.) [= 82?
83 I. debilis Gray (subverticillatus Nutt.)
84. I. acuminatus Mich
92. I. ensifolius Wickstr.
99. I. Mertensianus Bong. [not here, but to filiformis fide Mey = Fl. Ross. but wrongly!]
101 I. echinatus Ell.
102 I. scirpoides Lam
103 I. paradoxus Mey. [Here no 181 ?]
104 I. fastensis Kth

V. Culmi nudi anceps, folia radicalia compressa enodosa.

stem 1.

(108. I. singularis Steud. Afr. Austr. s. regula species)

VI Folia plana vel canaliculata culmi nudi s. foliati

flores aggregati

hexandri

119. I. subincurvus Steud. Louisiana Hartman N. 86.
= I. repens, 131 (or ?? = I. Lechleinus)

triandri

128 I. marginatus Roxb
129. I. cylindricus Curtis Bill Journ 44. p. 83. New Jersey.
130 I. odoratus Torr sub I. marginatus β? odoratus.
131 I. repens Mich

flores aggregati plerumque hexandri

139 I. Greenii Tuckm.
142 I. tenuis Willd.
143 I. serenades Poir.
145 I. dichotomus Ell.
148 I. vaillans Steud. a sp. (= tenuis?)
156 I. bulbosus Lin.
157. I. Gerardi Lois.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9988

Missouri Botanical Garden
George Engelmann Papers

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri Botanical Garden

163 L. bufonius Lin

165 L. virginicus Linn. Journ Acad Phil 1828. p.105 [= 76]

168 L. trifidus Lin

VII Culmi foliati, folia plana vel teretia canaliculata.

Flores congesti Hexandri, semina appendiculata.

172. L. castaneus Smith.

173 L. triglumis Lin

175 L. triglumis Lin.

176 L. stygius Lin.

181 L. trigonocarpus Steud Carolina. [= parviflorus ?]

182 L. falcatus Ell Mey " Canada" [Gleason = Luzula parviflora Desv. Meyer Enum. Pl. Lindeb. Rot]

Dubii Loci

188 L. affinis R Br. see after 77.

189 L. militaris Bigel. see after 77

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Lupinus Sect. Austr

ex Sturtev. Journ. 1855

those marked are = WC Wash.

Leptorus

1. L. compressus Hook.
16 L. andicola Hook. Quito
17 L. Conceptionis Steud. Chili
21 L. porrectus Mey. Chili
24 L. Valdiviae Steud Valdivia
27 L. maritimus Lam.
32 L. Paraetus L Brazil ?

Nobiles 3 andri

36 L. microcephalus H&K.
37 L. stipulatus Nees Chili
54 L. megacoleos Steud. Chili Bert. 351
55 L. Congiflorus Steud. Chili Bert. 1059 ex parte
66 L. Douglasianus Gay Peru.
70 L. Rostkovii Mey
71 L. comosus Steud. Chili Bertero. 1059 ex part.
73 L. proximus Steud. Chili Valdivia.
74 L. Gayanus Steud. Chili
78 L. nubis Kunth Brazil.

6 andri

89 L. multiceps Kunth Chili
95 L. densiflorus H&K Brazil.
96 L. Fernandezianus Steud. Juan Fernandez Bert. 1468
97 L. Pohlii Steud. Brazil
98 L. micranthus Schrad Brazil

Grämnifolii 6 andri

114 L. gramnifolius E Mey. Peru, Chili
115 L. rivularis Dcpp. (Nos 114 & 48) Bert. 1061 Chili
116 L. Xantholepis Steud. Chili
117 L. homalophyllus Steud Chili, Valdivia
132 L. cyperoides Lehmann 3 andri Am. austr.
128 L. squarrosus Lin (Brazil ?) N. Am.



9989

140 L. platycaulis HBK. Am. austr.

141 L. Chamissonis Kth. Chili.

143 L. cognatus Kth. Am. austr.

149. L. capillaceus Lam. Brasil, Chili.

150 L. tenuiflorus Steud. Chili. Bert. 1062

151 L. spaniianthus Steud. Chili. Bert. 348.

152 L. collinus Steud. San Juan Remy. Bert. 1496

153 L. Lechleri Steud. Chili.

154 L. imbricatus Lah. Bonaria Chil.

158 L. Anvillei Steud. Chili.

164 L. proliferus HBK Am. austr.

169 L. Magellanicus Lam.

169 L. grandiflorus Forst. Chili, Magell.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Aug 23 1865

Juncí Flore Am. Borealis

I Effusi

- J. effusus L
- J. Balticus Willd
- J. compressus Wahl, Kunth. nec Am. = Balticus fide Hook Bor Amer.
- J. arcticus Willd ?
- J. Drummondii E. Meyer [= ? J. Hookeri Meyer ?] in Lehm. Pl. Asp. IV p. 235
- J. filiformis L. J. Sylvaticus de Vaage = ? filiformis fide Hook Bor Am.
- J. scheuchzeri Roth
- J. maritimus Lam (= J. Romerianus Schultz)

II Nodosi triandri

- J. scirpoides Lam marcostemon Gay
- J. polycephalus Ell. Mich = part
- J debilis Gray
- J. pandoxus Ehrenb
- J. accuminatus Mich = Canadensis Gay fide Gray
- J. Elliottii Chapm. (J. accuminatus Ell)
- J. aligenosus Roth (Enum. Nov. fide Kunth) = Canadensis Gay fide Hook Bor Am
- J. subtilis Meyer (fide Mich ex p
- J. ensifolius Wikstr (= Mertensianus Bong
- J. fasciculatus Kunth
- J. echinatus Ell. Kth = scirpoides fide Chapm.
- J. Mertensianus Bongard = ensifolius fide Hook Bor Amer. = fabratus fide Meyer - Lehm Pl Ross.

Hexandri

- J. articulatus L. = campyrarpus
- J. pelocarpus Meyer.
- J. militaris Bigel.
- J. nodosus L.
- var megacephalus Torr.
- J. Conradi Tucker
- J. caudatus Chapm.
- J. xiphioides Meyer.
- J. aboriginus Chapm.
- J. effusus A Br. Am. auct. = Richardsonianus Roem & Schult. fide Hook Bor Am Kth.

Steudel adds:
J. articulosus Ehrh.
J. Muhlenbergii Spr.
J. Rostkovii Mey

J. diffusus Bigel

9990

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Sunni Bor. Amer. Contr

III Grandifolii Singuliflori

- L. tenuis Wild secunda, Boiv L. villosum Steud nro 148
- L. dichotomum Ell
- L. Greenii Oaks & Tuckm
- L. Vaseyi n. sp.
- L. bulbosum L (not seen from Amer.)
- L. Gerardi Lois
- L. superbum L

glomeruliflori

- L. marginatum Roth
- L. heterophyllum Roth
- L. Lindheimeri n sp. L. filipendulum Small 1862
- L. pulchrum Hey Calif. (= Kellogianum Gray). NW Sonoma Calif.
- L. subinclusum Steud nro 119 Louisiane Hartman N 286. See Meyer = Ledeb. Fl Ross IV. p. 228.
- L. cylindricum Curtis Steud nro. 129.
- L. odoratum Torr. Steud nro 130
- L regium Nx

Michauxii Macrospermi

- L. Meyeri A Dc
- L. Longistylis Torr (Meyeri var Californicum Hook Arn.)
- L. trifidum L.
- L. canadense Smith
- L. biglandulosum L
- L. triglandulosum L
- L. stygium L.

L. trigonocarpum Steud nro. 181 Carolina

L.

9991

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Carduus nutans L. subsp. [illegible]:

Grigsby Creek
Nicholas Co.
Lesher distrib 546

old distrib. numbers
173 – 176
Asch. & Graeb.

174 Ark by caps
175 SK short caps
176 LK sh. caps
left 175 = 176 Sp
173 Tenn. Gr.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

9992

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

plenty rainbows (wished of terms)



9993

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN HERBARIUM

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN